

# Decision

## Duty to Consult on Felling Street Trees

The period of consultation has ended. This is a notification that this tree is proposed to be removed 28 days from the date of this notice. This decision notice meets the duty to consult and notify when removing street trees set out in section 115 of the Environment Act 2021

|                             |                                          |
|-----------------------------|------------------------------------------|
| <b>Notice Date</b>          | 23/09/2026                               |
| <b>Reference</b>            | 604492                                   |
| <b>Ward</b>                 | Fairlop                                  |
| <b>Site</b>                 | Fullwell Cross Roundabout                |
| <b>Position</b>             | On the edge of Fullwell Cross Roundabout |
| <b>Species</b>              | Fraxinus excelsior (Common Ash)          |
| <b>Summary of responses</b> | No objections received                   |

|                         |                                                                  |
|-------------------------|------------------------------------------------------------------|
| <b>Decision summary</b> | No replacement tree to be planted due to inappropriate position. |
|-------------------------|------------------------------------------------------------------|

For further information about Council tree management please visit our website at [www.redbridge.gov.uk/our-streets/council-trees/](http://www.redbridge.gov.uk/our-streets/council-trees/)

Facilities are also available to view this notice online at libraries.

Alternatively, the tree management service may contacted by post Arboricultural and Horticultural Department, The WREN Office, Ley Street Depot, 531 Ley Street, Ilford, Essex, IG2 7QZ

The tree is programmed to be removed after: 22/10/2026

